Google

Web Images Video News Maps more »

how to close a menu using a mouse wheel

Search 4

Advanced Search Preferences

Web

Results 1 - 10 of about 814,000 for how to close a menu using a mouse wheel. (0.31 seconds)

## ACC2000: How to Detect and Prevent the Mouse Wheel from Scrolling ...

MsgBox "You cannot use the **mouse wheel** to scroll through records." Cancel = True End Sub. 13. On the File **menu**, click **Close** and Return to Microsoft Access. ... support.microsoft.com/kb/278379 - Similar pages

## ACC97: How to Prevent Use of the Mouse Wheel to Scroll Through ...

Save and close the Customers form. 10. To view the results, open the Customers form in Form view, and try to scroll by using the mouse wheel. ... support.microsoft.com/kb/308636 - Similar pages

## Opera Help: Using the Mouse

The context menu for selected text can be accessed by clicking repeatedly on the word or ... Restore default zoom, Hold Ctrl key, click mouse wheel ... help.opera.com/Windows/9.00/en/mouse.html - 10k - Cached - Similar pages

### Opera Help: Using the Mouse

If you have enabled Voice, you can also use this menu to make Opera read the selected text to you ... Restore default zoom, Hold Ctrl key, click mouse wheel ... help.opera.com/Windows/9.20/en/mouse.html - 10k - Cached - Similar pages [More results from help.opera.com]

### Using menus, buttons, bars, and boxes

To close a menu without selecting any commands, click the menu bar or any other part of ... You can operate menus using your keyboard instead of your mouse. ... windowshelp.microsoft.com/windows/en-us/help/26c52250-8b83-4f97-95a8-cdc0924abd581033.mspx - 27k - Cached - Similar pages

## tutorials-xe.com >> ERRORS >> Using the mouse wheel to zoom in

What do I do if the menu toolbar is checked but not visible? ... Using the mouse wheel to zoom in On Word 2007, I can't use "Ctrl + scroll the mouse wheel" ... www.tutorials-xe.com/ERRORS/Using-mouse/ - 52k - May 8, 2007 - Cached - Similar pages

#### Using and configuring the Metisse compositor

MW is the **mouse wheel**. Mx denotes any **mouse** button or **wheel** action. ... M1: shows the window operations **menu**. M1-double-click: **close** the window ... insitu.lri.fr/metisse/docs/**using**.html - 14k - <u>Cached</u> - <u>Similar pages</u>

### Filter Forge Help - Using Filter Editor

To zoom the Workspace in and out, use the **mouse wheel**. Alternatively, you can use **menu** commands and hotkeys listed in the View **menu**. ... www.filterforge.com/more/help/Editor/UsingFilterEditor.html - 14k - <u>Cached</u> - <u>Similar pages</u>

#### VDRsync GUI

In addition, you need also the packages required to run the dvd-menu.pl script. ... You keep ALT pressed, and by using the mouse wheel carefully you adjust ... vdrsync.vdr-portal.de/gui/gui-page.html - 17k - Cached - Similar pages

## Windows Vista: Resize icons quickly using your mouse wheel » D ...

Hold down Ctrl and move your mouse wheel up or down to enlarge or shrink your icons

Google

Web Images Video News Maps more »

exit a menu using a mouse wheel

Search

Advanced Search
Preferences

Web

Results 1 - 10 of about 404,000 for exit a menu using a mouse wheel. (0.41 seconds)

### Volumouse - control the sound volume with a wheel mouse

For example: You can configure Volumouse to use your **mouse wheel** for volume ... Select 'Exit Completely' from the options dialog-box or from popup **menu** of ... www.nirsoft.net/utils/volumouse.html - 22k - <u>Cached</u> - <u>Similar pages</u>

## Sound Wheel. Control sound volume with the mouse wheel from any ...

You can manage Sound Wheel using its context menu. The context menu can be ... Sound Wheel and enables the sound volume adjustment using the mouse wheel. ... www.soundwheel.com/index.php?page=1 - 9k - Cached - Similar pages

### MAGic 10.0 Features and Enhancements

When **using** the **mouse**, clicking on a form control, such as an edit box or list, switches MAGic to Forms mode. To **exit** Forms mode, click anywhere on the page ... www.freedomscientific.com/fs\_products/software\_MAG100.asp - 39k - Cached - Similar pages

#### Documentation

Mouse wheel is used in text entry boxes as the main means of changing values. ... be displayed in a popup menu and you can select the value using the mouse. ... autotrader1.home.comcast.net/documentation.htm - 19k - Cached - Similar pages

## [FLASH] EXIT EXIT http://www.ati.com HYDRAVISION TM MULTI-MONITOR ...

File Format: Shockwave Flash

With a simple click of your **mouse** or the scroll **wheel**, you can select 9 different ... Right clicking on the applications title bar will display a new **menu** ... ati.amd.com/products/Hydravision/Hydravision-demo.swf - <u>Similar pages</u>

#### tutorials-xe.com >> ERRORS >> Using the mouse wheel to zoom in

Using the mouse wheel to zoom in by =?Utf-8?B?TWFyaWE=?=. Insert symbol in Word 2000 Only recently I noticed that in the "Insert" menu I don't have the ... www.tutorials-xe.com/ERRORS/Using-mouse/ - 54k - Cached - Similar pages

### Raymond James Investment Services

- 1. Hold down CTRL and scroll up and down with your mouse wheel. Keyboard Only users:.
- 1. To navigate to the View menu press ALT + V; 2. ...

www.rjis.co.uk/accessibility.htm - 18k - Cached - Similar pages

## [PDF] Pocket ProPrompter Software Version 5.0 for Microsoft Pocket PC OS

File Format: PDF/Adobe Acrobat - View as HTML

also install the ProPrompter application by using Microsoft ActiveSync supplied by ...

Mouse wheel: off. Mouse movement: off. Besides the main screen menu, ...

www.bodelin.com/proprompter/pdf/PocketProPrompter\_help.pdf - <u>Similar pages</u>

## [DOC] Homework #0: Unix and ftp

File Format: Microsoft Word - View as HTML

Explore "spin, pan, zoom" functions using the mouse and with various view options selected. Hold down the middle mouse wheel to "spin" the model. ...

www.ews.uiuc.edu/~me170/labAssignments/Lab1\_sp07.doc - Similar pages

## Raymond James Investment Services - Contact Us

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1182	715/810.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 14:46
L2	85	L1 and @pd>"20061212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 14:46
L6	3	715/829.ccls. and @pd>"20061212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 14:47
L7	4	715/830.ccls. and @pd>"20061212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 14:48
L8	7	715/828.ccls. and @pd>"20061212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 14:47
L9	426	mouse same wheel same pointer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ОR	ON	2007/05/10 14:50
L10	113	(thumb adj wheel) same menu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 14:50
L11	109	navigat\$3 same mouse same keyboard same menu same item	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 14:50

			<b></b>			,
L12	198	(scroll adj wheel) same menu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ,	2007/05/10 14:50
L13	89	(L9 L12 L10 L11) and @pd>"20061212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 14:53
S2	381	mouse same wheel same pointer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 13:37
S3	60	S2 and highlight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 12:44
S4	39	S3 and menu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 12:44
S7	103	(thumb adj wheel) same menu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 08:52
\$8	1	"6710771".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 12:15
<b>S9</b>	7	"826533".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 13:55

5/10/2007 2:54:06 PM C:\Documents and Settings\ajones4\My Documents\EAST\Workspaces\1064\10642506.wsp Page 2

			1	1		T
S11	2	"20040053605".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/01 09:46
S12	2	"20040075695".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/01 09:49
S13	18	(mouse adj wheel) same menu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 09:01
S14	274	mouse same navigat\$3 same menu same item	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 09:44
S15	9	S14 same highlight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 09:04
S16	228	S14 same select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 09:34
S17	100	navigat\$3 same mouse same keyboard same menu same item	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 14:50
S18	26	S17 and (up same down same keys same arrow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 09:38

5/10/2007 2:54:06 PM Page 3

S19	9	actuator same navigat\$3 same menu same item	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 09:45
S20	0	navigat\$3 same actuator same keyboard same menu same item	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 10:14
S21	170	(scroll adj wheel) same menu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 10:14
S22	78	S21 same mouse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 11:21
S24	1094	715/810.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 11:23
S25	696	S24 and (acutator mouse (mouse adj wheel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 11:24
S26	688	S25 and (select\$3 highlight\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 11:24
S27	· 230	S26 and (menu adj item)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 11:25

			T			
S50	1094	715/810.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 15:27
S51	326	S50 and mouse same menu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 15:28
S52	46	715/828.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 14:46
S53	30	715/829.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 14:46
S54	61	715/830.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 14:46
S55	528	(disabl\$3 lock\$3) same (pointer cursor) same menu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:58
S56	55	(disabl\$3 lock\$3) same (pointer cursor) same menu same user same interface same select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 17:03
S58	0	close with menu with mouse with wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:52

S59	0	close with menu same mouse with wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:52
S60	3	highlighter with close with end	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:52
S61	35	mouse same wheel same (close exit) with (menu window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 11:08
S62	32	mouse with wheel same (close exit) with (menu window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 11:08
S63	6	"642506".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 14:45